EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	(lfsr or (linear adj feedback adj shift adj register)) with x with y	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 08:45
L3	8	(lfsr or (linear adj feedback adj shift adj register)) with x with y and (wcdma or cdma or 3gpp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 07:06
L4	0	(lfsr or (linear adj feedback adj shift adj register)) with x with y and (wcdma or cdma or 3gpp) and dsc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 07:14
L5	191	secondary with (scrambling adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:39
L6	4151	(lfsr or (linear adj feedback adj shift adj register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 07:15
L7	12	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 07:15
L9	0	(lfsr or (linear adj feedback adj shift adj register)) with x and new adj initial adj state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:33
L10	2	(lfsr or (linear adj feedback adj shift adj register)) with x and (new with (initial adj state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:32

EAST Search History

L11	3287	375/130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:48
L12	1	(lfsr or (linear adj feedback adj shift adj register)) and new adj initial adj state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:57
L13	6784	370/342	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:34
L14	57	(lfsr or (linear adj feedback adj shift adj register)) and (new with (initial adj state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:56
L15	4	11 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:48
L16	5	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:37
L17	48	13 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:48
L18	8	secondary with (scrambling adj code) and (initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:40

L20	2036	375/147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:48
L21	0	20 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:52
L22	11	11 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:48
L23	14	20 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:52
L24	219	708/252	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:51
L25	3	24 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:52
L26	3	24 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:52
L27	2	((lfsr or (linear adj feedback adj shift adj register)) and (new with (initial adj state))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 11:46

L28	0	((lfsr or (linear adj feedback adj shift adj register)) and new adj initial adj state).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 09:57
L29	0	(second adj (lfsr or (linear adj feedback adj shift adj register)) and (new with (initial adj state))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 11:46
S1	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/27 08:40
S2	0	10/651848	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:29
S3	98	(6721293|6795689|20040120289|6501788|20030099357|6836469|20030081575|20040120274|20060121907|20030095529|20040258182|6804214|7035676|20010034254|20030039303|20030119444|20040032848|20040085921|20050085255|20050094816|20050143118|6570889|6862314|6775318|6934526|20020009129|20020051431|20020064211|20030103478|20030133429|20040057468|20050063345|20060193339|6185244|6459694|7061967|20030235238|20040114552|20060056552|5930366|5956368|6301289|6339646|6385264|6526039|6526065|6526091|6535495|6567482|6577671).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:30
S4	0	"x-lfsr" "y-lfsr"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:31

EAST Search History

S5	0	"x-lfsr" and "y-lfsr"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:31
S6	329	lfsr and cdma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:32
S7	45	lfsr and wcdma	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:33
S8	16	lfsr and wcdma and (QAM or (I near Q))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:36
S9	46	(first adj initial adj state) and (second adj initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:37
S10	2	(first adj initial adj state) and (second adj initial adj state) and (lfsr or (linear adj feedback adj shift adj register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:38
S11	0	(first adj initial adj state) and (second adj initial adj state) and (lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:38
S12	0	(first adj initial adj state) and (second adj initial adj state) and (lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:39

S13	492	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:39
S14	189	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:39
S15	78	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 06:48
S16	0	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (new adj initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:40
S17	1	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (first adj initial adj state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:40
S18	0	(lfsr or (linear adj feedback adj shift adj register)) and (cdma or wcdma or 3gpp) and (qam or (i near q)) and (initial adj state) and DSC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 19:41

Go to Google Home

Web   Images   Video   News   Maps   **more »**

"secondary scrambling code"	Search	Advanced Search
		Preferences

Web

Results **1 - 10** of about **550** for **"secondary scrambling code"**. (0.25 seconds)

[PDF] Introduction Problems of the current method and text
File Format: PDF/Adobe Acrobat - View as HTML
We also need to limit the maximum number of **secondary scrambling code** to reduce ... It
is important to notice that **secondary scrambling code** need to have ...
www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_06/Docs/Pdfs/R1-99915.pdf - Similar pages

[PDF] Text proposal for 25.213 5.2.2 Scrambling code
File Format: PDF/Adobe Acrobat - View as HTML
associated with the primary scrambling code of the cell. The mixture of primary scrambling
code and **secondary scrambling code** for one CCTrCH is allowable.
www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_07/Docs/Pdfs/R1-99d79.pdf - Similar pages
[More results from www.3gpp.org]

FAQ on WCDMA Physical Layer (Layer 1)
If a **secondary scrambling code** needs to be introduced in the cell, then only those users
not fitting under the primary scrambling code should use the ...
www.3g4g.co.uk/Faq/layer1.html - 13k - Cached - Similar pages

Performance analysis and allocation strategy for the WCDMA second ...
The WCDMA standard allows for allocation of traffic on a **secondary scrambling code**,
which is non-orthogonal to the primary scrambling code. ...
cat.inist.fr/?aModele=afficheN&cpsidt=16208695 - Similar pages

[PDF] Performance Investigation of Secondary Scrambling Codes in WCDMA ...
File Format: PDF/Adobe Acrobat - View as HTML
solution, introducing a **secondary scrambling code**, which in ... **secondary scrambling
code**, the intra-cell interference increases ...
www.ericsson.com/.../wireless_access/doc/Performance%20Investigation%20of%
20Secondary%20Scrambling.pdf - Similar pages

Performance Investigation of Secondary Scrambling Codes in WCDMA ...
In case of RA3 channel, the cell throughput is increased with 8% if GRAKE receivers are
used, but with RAKE, the **secondary scrambling code** does not give any ...
www.ericsson.com/.../wireless_access/
papers/performance_secondary_scrambling_codes_wcdma.shtml - 17k -
Cached - Similar pages

Welcome to IEEE Xplore 2.0: On the code and soft capacity of the ...
On the code and soft capacity of the UMTS FDD downlink and the capacity increase by
using a **secondary scrambling code**. Staehle, D. ...
ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=34628&
arnumber=1651809&count=139&index=136 - Similar pages

[PDF] LNCS 3260 - Performance Analysis and Allocation Strategy for the ...
File Format: PDF/Adobe Acrobat
secondary scrambling code. In addition this paper introduces an allocation strat- ... gain in
secondary scrambling code usage for this strategy. ...
www.springerlink.com/index/DM2BWAL372G6EGWE.pdf - Similar pages

LCM - Laboratoire de communications mobiles
The uplink uses a primary scrambling code and an optional **secondary scrambling code**.
The primary scrambling code is from the extended Very Large Kasami set ...
lcmwww.epfl.ch/academic/umts.htm - 8k - Cached - Similar pages

[PDF] <u>main headline</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
**Secondary Scrambling Code #1. Secondary Scrambling Code #2. Secondary
Scrambling Code #15. Channelisation Code Set (256 Codes) ...**
icawww1.epfl.ch/mobnet/0506/Slides/2.6-UMTS%20part%202-3.pdf - <u>Similar pages</u>

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

Free! Speed up the web. <u>Download the Google Web Accelerator</u>.

| "secondary scrambling code" | [Search] |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

<u>Go to Google Home</u>

Web <u>Images</u> <u>Video</u> <u>News</u> <u>Maps</u> **<u>more »</u>**

| "secondary scrambling code" LFSR | [Search] | <u>Advanced Search</u>
<u>Preferences</u> |

Web

Results **1 - 4** of about **8** for **<u>secondary scrambling code</u>" LFSR**. (0.47 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] <u>TSGR1#7(99)b58 1. Abstract 2. E-mail discussion</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Only comment in the meeting was the number of **secondary scrambling code** from ...
specific representation forms of **LFSR** sequence, and they are equivalent ...
www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_07/Docs/Pdfs/R1-99b58.pdf - <u>Similar pages</u>

[PDF] <u>TSG-RAN Working Group 1 meeting #7 TSGR1#7(99)b91 Hanover ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
scrambling code (PSC) and data channel with **secondary scrambling code** (SSC), ... code
in upper **LFSR**. masking function for Q. code in upper **LFSR** ...
www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_07/Docs/Pdfs/R1-99b91.pdf - <u>Similar pages</u>

<u>ROM-based PN generation for wireless communication - Patent 6937643</u>
Each **LFSR** generates a specific PN sequence of length 218-1, ... codes may each be a
secondary scrambling code, a left alternative scrambling code, ...
www.freepatentsonline.com/6937643.html - 93k - <u>Cached</u> - <u>Similar pages</u>

<u>3GPP_TSG_RAN_WG1 Archives -- July 1999 (#395)</u>
Only comment in the meeting was the number of **secondary scrambling code** from
Ericsson. ... But two different forms are specific representation forms of **LFSR** ...
list.3gpp.org/scripts/wa.exe?A2=ind9907&L=3gpp_tsg_ran_wg1&D=0&F=P&T=0&P=49108
- 18k - Supplemental Result - <u>Cached</u> - <u>Similar pages</u>

*In order to show you the most relevant results, we have omitted some entries very similar to the 4
already displayed.*
If you like, you can <u>repeat the search with the omitted results included</u>.

Free! Speed up the web. <u>Download the Google Web Accelerator</u>.

| "secondary scrambling code" LFSR | [Search] |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Go to Google Home

Web   Images   Video   News   Maps   **more »**

| "secondary scrambling code" "linear feedback | Search | Advanced Search
Preferences

Web

Tip: Try removing quotes from your search to get more results.

Your search - **"secondary scrambling code" "linear feedback shift register"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

SCIrUS
for scientific information only

FEBS Letters
Budapest Special Issue
Proteins and Peptides

| About Us | Newsroom | Advisory Board | Submit Web Site | Help | | Contact Us |

Basic Search   Advanced Search Search Preferences

"secondary scrambling code" AND "linear feedback shil   [Search]

☑ Journal sources   ☑ Preferred Web sources   ☑ Other Web sources   ☐ Exact phrase

Searched for::   :All of the words:**"secondary scrambling code"** AND **"linear feedback shift register"**

Found::   :**1 total | 0 journal results | 1 preferred web results | 0 other web results**

Sort by::   :**relevance | date**

[Save checked results]———[Email checked results]———[Export checked results]——●

Or refine

☐ **1.** A process for generating codes for CDMA communications, system and computer program

All of the

Lo Iacono, Daniele / Messina, Ettore / Avellone, Giuseppe / Galluzzo, Agostino,
EUROPEAN PATENT, Sep 2003
(Field of the invention) The present invention relates to techniques for the generation of codes for Code Division Multiple Access (CDMA) applications and has been developed with particular attention paid to its possible application for the generation of scrambling codes usable at the level of
Full text available at patent office. For more in-depth searching go to 🌑 LexisNexis·
similar results

[Refine]

::fast

IEEE Xplore® RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ **Search Results**

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPOF

Results for "(secondary scrambling code<in>metadata)"
Your search matched **3** of **1424023** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail 🖨 printe

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(secondary scrambling code<in>metadata)   **Search ▷**

☐ Check to search only within this results set

Display Format: ⊙ Citation ○ Citation & Abstract

┌ **view selected items**   **Select All Deselect All**

☐ 1. **Performance Investigation of Secondary Scrambling Codes in WCDMA Systems**
Hu Rong; Hiltunen, K.;
Vehicular Technology Conference, 2006. VTC 2006-Spring. IEEE 63rd
Volume 2, 2006 Page(s):698 - 702
Digital Object Identifier 10.1109/VETECS.2006.1682914

AbstractPlus | Full Text: PDF(3592 KB)   IEEE CNF
Rights and Permissions

☐ 2. **On the code and soft capacity of the UMTS FDD downlink and the capacity increas using a secondary scrambling code**
Staehle, D.;
Personal, Indoor and Mobile Radio Communications, 2005. PIMRC 2005. IEEE 16th International Symposium on
Volume 3, 11-14 Sept. 2005 Page(s):2099 - 2103 Vol. 3
Digital Object Identifier 10.1109/PIMRC.2005.1651809

AbstractPlus | Full Text: PDF(3160 KB)   IEEE CNF
Rights and Permissions

☐ 3. **Impacts of inactivity timer values on UMTS system capacity**
Chuah, M.; Wei Luo; Zhang, X.;
Wireless Communications and Networking Conference, 2002. WCNC2002. 2002 IEEE
Volume 2, 17-21 March 2002 Page(s):897 - 903 vol.2
Digital Object Identifier 10.1109/WCNC.2002.993390

AbstractPlus | Full Text: PDF(358 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & Security

Indexed by
Ⅲ Inspec°